



# Router Asus ROG Rapture GT-AX6000 Wi-Fi AX6000 5xLAN 1xWAN/LAN

Indeks: **151893** Producent: **ASUS** Kod producenta: **GT-AX6000**

**Cena: 1,132.34 zł**

## Opis

### Router Asus ROG Rapture GT-AX6000 Wi-Fi AX6000 5xLAN 1xWAN/LAN

ROG Rapture GT-AX6000 Model Name GT-AX6000 Network Standard IEEE 802.11a IEEE 802.11b IEEE 802.11g IEEE 802.11n IEEE 802.11ac IEEE 802.11ax IPv4 IPv6 Product Segment AX6000 ultimate AX performance AX technology Yes Data Rate 2.4GHz AX: 4x4 (Tx/Rx) 1024 QAM 20/40MHz, up to 1148Mbps 5GHz AX: 4x4 (Tx/Rx) 1024 QAM 20/40/80/160MHz, up to 4804Mbps Antenna External antenna x 4 Transmit/Receive 2.4 GHz 4 x 4 5 GHz 4 x 4 Processor 2.0 GHz quad-core processor Memory 256 MB Flash, 1 GB RAM Boosts speed OFDMA (Orthogonal Frequency Division Multiple Access), Beamforming: standard-based and universal, 1024-QAM high data rate, 20/40/80/160 MHz bandwidth, Operating Frequency 2.4G Hz / 5 GHz Ports RJ45 for 2.5 Gigabits BaseT for WAN/LAN x 1, RJ45 for 2.5 Gigabits BaseT for LAN x 1, RJ45 for Gigabits BaseT for LAN x 4, USB 3.2 Gen 1 x 1, USB 2.0 x 1 Button WPS Button, Reset Button, Power Button, LED Control Button LED Indicator Power x 12.4GHz x 15GHz x 12.5G WAN x 12.5G LAN x 1 LAN x 1 WPS x 1 Power Supply AC Input : 110V~240V(50~60Hz) DC Output : 19 V with max. 2.37 A current or 19.5 V with max. 2.31 A current Package content GT-AX6000 WiFi 6 Dual-Band Gaming Router RJ-45 cable Power Adapter Quick Start Guide Warranty Card Product Weight (g) 1121.4 g AiMesh AiMesh : Yes Primary AiMesh router : Yes AiMesh node : Yes Router APP ASUS Router APP : Yes Game Game Boost/acceleration : Yes ROG\_First : Yes OpenNAT (Game Profile) : Yes Gaming port : Yes AiProtection AiProtection : AiProtection Pro Router Security Assessment : Yes Malicious site blocking : Yes Two-Way IPS : Yes Infected Device Prevention and Blocking : Yes Parental Control Parental Control : Yes Parental Control Customized Internet schedule : Yes Traffic Control Adaptive QoS : Yes Bandwidth Monitor : Yes Bandwidth limiter : Yes Maximum Bandwidth limiter rule : 32 Traditional QoS : Yes Maximum Traditional QoS rule : 32 Traffic Monitor : Yes Real-time traffic monitor : Yes Wired Traffic Monitor : Yes Wireless Traffic Monitor : Yes Traffic Analyzer : Yes Traffic analysis period : Daily, Weekly, Monthly Website history : Yes Wireless IPv6 : Yes MU-MIMO : Yes Wi-Fi Encryption : Open system, WPA/WPA2/WPA3-Personal, WPA/WPA2-Enterprise UTF-8 SSID : Yes Guest Network : Yes Maximum Guest Network rule : 2.4GHz x3, 5GHz x3 Guest Network Encryption : Open system, WPA/WPA2/WPA3-Personal WPS : Yes Wi-Fi MAC address filter : Yes Maximum MAC filters : 64 Wireless scheduler : Yes Airtime fairness : Yes RADIUS Server : Yes Universal beamforming : Yes WAN Explicit beamforming : Yes Internet connection Type : PPPoE, PPTP, L2TP, Automatic IP, Static IP Dual WAN : Yes WAN Aggregation : Yes 3G/4G LTE dongle : Yes Android tethering : Yes Port forwarding : Yes Maximum port forwarding rule : 64 Port triggering : Yes Maximum port triggering rule : 32 DMZ : Yes DDNS : Yes NAT Passthrough : PPTP, L2TP, IPSec, RTSP, H.323, SIP Passthrough, PPPoE relay LAN DHCP Server : Yes IGMP snooping : Yes IPTV : Yes LAN Link Aggregation : Yes Manually assign IP address : Yes Maximum manually assign IP address rule : 64 VPN VPN Client L2PT : Yes VPN Client OVPN : Yes VPN Client PPTP : Yes VPN Server IPSec : Yes VPN Server OVPN : Yes VPN Server PPTP : Yes VPN Fusion : Yes USB application File System : HFS+, NTFS, vFAT, ext2, ext3, ext4 HDD hibernation : Yes Safely Remove disk : Yes AiCloud : Yes Download master : Yes AiDisk : Yes Media Server : Yes Time Machine : Yes Samba Server : Yes FTP Server : Yes Shared Folder privileges : Yes Administration Operating mode : Accesspoint, AiMeshnode, Mediabridge, Repeater, Router Operating system : ASUSWRT Free OS upgrade : Yes Firewall : Yes Maximum Firewall keyword filter : 64 Maximum Firewall network service filter : 32 Maximum Firewall URL filter : 64 Wake on LAN (WOL) : Yes SSH : Yes Configuration backup and restore : Yes Diagnosis tools : Yes Feedback system : Yes System log : Yes

## Parametry

<b>Producent</b>	Asus
<b>EAN</b>	4711081394549
<b>Kod producenta</b>	90IG0780-MO3B00
<b>Model</b>	GT-AX6000 AiMesh
<b>Liczba portów LAN (RJ-45)</b>	4
<b>Szerokość produktu</b>	338
<b>Głębokość produktu</b>	196
<b>Waga produktu z opakowaniem jednostkowym</b>	2.25
<b>Stan</b>	Nowy
<b>Tryb pracy</b>	Access Point, Bridge, Router, Repeater
<b>Standard pracy bezprzewodowej</b>	802.11ax (Wi-Fi 6)
<b>Pasma</b>	5 GHz
<b>Wbudowany modem</b>	opcjonalny (via USB)
<b>Standard pracy portów LAN</b>	10/100/1000 Mbps
<b>Złącza</b>	USB 3.0, USB 2.0
<b>Cechy dodatkowe</b>	kontrola rodzicielska, serwer VPN

## Zdjęcia



