



Router Asus RT-AX86U PRO Wi-Fi AX5700 1x1Gb WAN 4x1Gb LAN 1x2.5Gb WAN/LAN USB2.0 USB3.0

Indeks: **225897** Producent: **ASUS** Kod producenta: **RT-AX86U PRO**

Cena: 1,164.37 zł

Opis

Router Asus RT-AX86U PRO Wi-Fi AX5700 1x1Gb WAN 4x1Gb LAN 1x2.5Gb WAN/LAN USB2.0 USB3.0

Model Name RT-AX86U PRO Network Standard IEEE 802.11aIEEE 802.11bIEEE

802.11gWiFi 4 (802.11n)WiFi 5 (802.11ac)WiFi 6 (802.11ax)IPv4IPv6 Product Segment AX5700 ultimate AX performance : 861+4804Mbps AX technology Yes Data Rate 802.11a : up to 54 Mbps802.11b : up to 11 Mbps802.11g : up to 54 MbpsWiFi 4 (802.11n) : up to 450 MbpsWiFi 4 (802.11n) (1024QAM) : up to 750 MbpsWiFi 5 (802.11ac) (1024QAM) : up to 4333 MbpsWiFi 6 (802.11ax) (2.4GHz) : up to 861 MbpsWiFi 6 (802.11ax) (5GHz) : up to 4804 Mbps Antenna External antenna x 3Internal PCB antenna x 1 Transmit/Receive 2.4GHz 3x35GHz 4x4 Processor 2.0GHz quad-core processor Memory 256 MB Flash and 1 GB RAM Boosts speed OFDMA (Orthogonal Frequency Division Multiple Access)Beamforming: standard-based and universal1024-QAM high data rate20/40/80/160 MHz bandwidth Operating Frequency 2.4 GHz / 5 GHz Ports RJ45 for 10/100/1000 BaseT for WAN x 1RJ45 for 10/100/1000 BaseT for LAN x 4Five (5) 10/100/1000 Mbps Gigabit Ethernet ports + one (1)2.5G/1Gbps multi-Gig port (configurable)-- LAN: 4xGbE (2x port aggregation LAN) -- WAN: 1 GbE-- WAN/LAN: 2.5G/1Gbps multi-Gig port (configurable)-- Multi-Gig: Ability to aggregate two Gigabit LAN ports and two Gigabit WAN ports (configurable) concurrently.USB 3.2 Gen1 x1, 2.0 x1 Button WPS Button, Reset Button, Power Switch, LED on/off Button LED Indicator Power x 12.4GHz x 15GHz x 12.5G Port x 1WAN x 1LAN x 4WPS x 1 Power Supply 19 V with max. 2.37 A current / 19.5 V with max. 2.31 A current or 12 V with max.3 A current / 19.5 V with max. 2.31 A current Package content RT-AX86U Pro WiFi routerRJ-45 cablePower adapterQuick Start GuideWarranty card Product Weight (g) 814.5 g AiMesh AiMeshPrimary AiMesh routerAiMesh node Router APP ASUS Router APP Game Game Boost / Acceleration Alexa Support Alexa skill AiProtection AiProtection ProAiProtectionMalicious site blockingTwo-Way IPSInfected Device Prevention and Blocking Parental Control Parental ControlParental Control Customized Internet scheduleMaximum Parental Control profile : 64Maximum Parental Control content filter rule : 64 Traffic Control Adaptive QoSBandwidth MonitorBandwidth limiterMaximum Bandwidth limiter rule : 32Traditional QoSMaximum Traditional QoS rule : 32Traffic MonitorReal-time traffic monitorWired Traffic MonitorWireless Traffic MonitorTraffic AnalyzerTraffic analysis period : Daily, Weekly, MonthlyWebsite history Wireless IPv6MU-MIMOWi-Fi Encryption : WPA3-Personal, WPA2-Personal, WPA-Personal, WPA-Enterprise , WPA2-Enterprise , WPS supportUTF-8 SSIDGuest NetworkMaximum Guest Network rule : 2.4GHz x3, 5GHz x3Guest Network Connection time limitGuest Network Encryption : Open system, WPA/WPA2/WPA3-Personal, WPSWPSWiFi MAC address filterMaximum MAC filters : 64Wireless schedulerAirtime fairnessRADIUS ClientUniversal beamformingExplicit beamforming WAN Internet connection Type : PPPoE, PPTP, L2TP, Automatic IP, Static IPDual WANWAN Aggregation3G/4G LTE dongleAndroid tetheringPort forwardingMaximum port forwarding rule : 64Port triggeringMaximum port triggering rule : 32DMZDDNSNAT Passthrough : PPTP Pass-Through, L2TP Pass-Through, IPsec Pass-Through, RTSP Pass-Through, H.323 Pass-Through, PPPoE relayLet's EncryptSafe browsingDNS-over-TLS LAN DHCP ServerIPTVLAN Link AggregationManually assign IP addressMaximum manually assign IP address rule : 64 VPN Instant GuardVPN Client L2TPVPN Client OVPNVPN Client PPTPVPN Client WireGuardVPN Server IPsecVPN Server OVPNVPN Server PPTPVPN Server WireGuardVPN Fusion USB application File System : HFS+, NTFS, vFAT, ext2, ext3, ext43G/4G LTE dongleHDD hibernationSafely Remove

diskAiCloudDownload masterAiDiskMedia ServerTime MachineSamba ServerFTP ServerShared Folder privileges Administration Operating mode : Wireless router mode,Access point mode,Media bridge mode,Repeater mode,AiMesh node modeOperating system : ASUSWRTFree OS upgradeFirewallMaximum Firewall keyword filter : 64Maximum Firewall network service filter : 32Maximum Firewall URL filter : 64SSHWake on LAN (WOL)Configuration backup and restoreDiagnosis toolsFeedback systemSystem logNew Device Connect NotificationLogin CaptchaConnection DiagnosisSecurity ScanAuto Firmware Update

Parametry

Producent	Asus
EAN	4718017331333
Kod producenta	RT-AX58U
Model	RT-AX58U
Tryb pracy	Access Point, Bridge, Router
Standard pracy bezprzewodowej	802.11n (Wi-Fi 4), 802.11ax (Wi-Fi 6), 802.11ac (Wi-Fi 5), 802.11g, 802.11a, 802.11b
Pasma	2,4 GHz, 5 GHz
Wbudowany modem	brak modemu
Zarządzanie	strona WWW
Liczba portów LAN (RJ-45)	4
Standard pracy portów LAN	10/100/1000 Mbps
Złącza	USB 3.0
Antena	zewnątrzna nieodkręcana
Cechy dodatkowe	klonowanie MAC, kontrola rodzicielska, printserwer, serwer VPN
Szerokość	224
Wysokość	129
Głębokość	160
Waga produktu z opakowaniem jednostkowym	1.8
Stan	Nowy

Zdjęcia

